# 1977 Author Index


**Albert, Jenoe. See Cole, Charles**

**Andren, R. K., et al.**
Removing Explosives from Wastewater ..... M/A 28

**Bansal, Iqbal K.**
Reverse Osmosis and Ultrafiltration of Oil and Pulping Effluents ..... M/J 32

**Barber, Nicholas R. See Chen, Kenneth Y.**

**Brill, Frederick W.**
Solving Pollution Control Problems: A Case History ..... M/J 77

**Bruderly, David E., Crane, John D., and Riggenbach, Jack D.**
Study Finds Methods to Reduce Hydrocarbons from Effluents ..... N/D 14

**Chen, Kenneth Y., and Barber, Nicholas R.**
Sodium Bicarbonate Treats Acidic Industrial Wastes ..... M/J 30

**Chen, K. Y., and Okey, R. W.**
Ozone Effect on Synthetic Rubber Waste Treatment ..... M/A 46

**Cheremisinoff, P. N., Perna, A. J., and Ciancia, J.**
Treating Metal Finishing Wastes
Part 2 ..... J/F 32

**Ciancia, J. See Cheremisinoff, P. N.**

**Cole, Charles, Corr, Steve, and Albert, Jenoe.,**
Sludge Dewatering in Textile Plants ..... J/F 14

**Corr, Steve. See Cole, Charles**

**Crane, John D. See Bruderly, David E.**

**Davis, E. M., Petros, J. K., and Powers, E. L.**
Organic Biodegradation in Hypersaline Wastewater ..... J/F 22

**Elton, Richard L., III. See Tischler, L. F.**

**Erickson, Paul R., and Throop, William E.**
Alkaline Treatment System Reduces Pollution Problems ..... M/A 24

**Erwin, Don.**
Closed-Loop System Separates Oil from Prewash Overflow ..... M/A 26

**Feigenbaum, Harold N.**
Removing Heavy Metals in Textile Waste ..... M/A 32

**Ford, Davis L. See Tischler, L. F.**

**Ford, D. L., and Tischler, L. F.**
Meeting BPT Standards for Intermediate and Secondary Refinery Wastewater Treatment ..... S/O 41
Meeting BPT Standards for Refinery Wastewater Treatment ..... J/A 20

**Fuller, Jerry K.**
Municipal Sewers Help Solve Rinse Water Disposal Problems ..... S/O 34

**Goldman, Michael.**
Chick Hatchery Wastes Disposal ..... J/F 28

**Grieves, C. G., et al.**
Activated Carbon Improves Effluent Quality in Refinery Sludge Process ..... J/A 30

**Grutsch, J. F. See Grieves, C. G.**

**Hanes, Bruce. See Pawlina, A. Thomas**

Rugged, Versatile
Non-clog RP samplers
• HIGH FLUID SPEED PUMP for non-clog performance • LARGE INTAKE LINES handle particles up to 3/8" • LONG LIFE TUBING
• ADJUSTABLE pre and post sample purge
• TIMED CYCLE or FLOW PROPORTIONAL
• SUBMERSIBLE case and sealed electronics
• PERMANENT or PORTABLE
• FULL REFRIGERATION
• WRAP AROUND ICE COMPARTMENT for longer cooling
FREE — Send for detailed information kit.
SIGMAMOTOR
... Simply Superior
263 Elizabeth St.
Middleport, N.Y. 14105
(716) 735-3616

For information circle service card No. 759

**Hassett, John J.**
News (Federal, State, and Municipal) ..... M/A 8
M/J 6
J/A 28
S/O 8
N/D 8

**Hockenbury, Melvin R., and Loven, Andrew W.**
Treating Metal Forging and Processing Wastewater ... M/J 45

**Hutchinson, Kenneth A.**
Hydrogen Peroxide Solves Sulfide Odor Problem ... J/F 26

**Kuppusamy, Nallagounder.**
Copper Removal from Power Plant Boiler Cleaning Waste ... M/A 43

**Laux, Larry.**
Monitoring Plant Effluent for State Records ... M/J 28

**Loven, Andrew W. See Hockenbury, Melvin R.**

***McDonnell, Roger. See Andren, R. K.***

**Nystrom, J. M. See Andren, R. K.**

**Okey, R. W. See Chen, K. Y.**

**Pawlina, A. Thomas, and Hanes, Bruce.**
Estimate Cooling Pond Requirements with Surface Heat Exchange ... S/O 22

**Perna, A. J. See Cheremisinoff, P. N.**

**Petros, J. K. See Davis, E. M.**

**Pipes, Wesley O.**
Microbiology of Dairy Waste Activated Sludge Separation Problems ... N/D 26

**Powers, E. L. See Davis, E. M.**

**Riggenbach, Jack D. See Bruderly, David E.**

***Sacks, Sheldon.***
Federal Financing Combats Pollution Control Costs ... N/D 32

**Stenstrom, M. K. See Grieves, C. G.**

**Stevens, Bruce. See Andren, R. K.**

**Swope, H. Gladys.**
Key Information from the TAPPI *Environmental Conference* ... S/O 38

**Throop, William E. See Erickson, Paul R.**

**Tischler, L. F., Elton, Richard L., III, and Ford, Davis L.**
Determining the Effect of Petroleum Hydrocarbons on Aqueous Environments ... N/D 20

**Tischler, L. F. See Ford, D. L.**

**Vaux, Walter G.**
Study Examines Waste Disposal at Pittsburgh Plants ... J/A 36

**Walk, J. D. See Grieves, C. G.**

# 1977 Subject Index

***Acidic Industrial Wastes. Sodium Bicarbonate Treates***
*Kenneth Y. Chen and Nicholas R. Barber* ... M/J 30

**Activated Carbon Improves Effluent Quality in Refinery Sludge Process**
C. G. Grieves et al ... J/A 30

**Activated Sludge Separation Problems. Microbiology of Dairy Waste**
*Wesley O. Pipes* ... N/D 26

**Alaska's North Slope. Sludge Dewatering on** ... J/F 19

**Alkaline Treatment System Reduces Pollution**




**Upgrade Your Wastewater Treatment Processes with HYDRODARCO® Powdered Activated Carbon.**

*HYDRODARCO* powdered activated carbon can help you improve activated sludge processes and upgrade effluent quality. When added directly to activated sludge systems, HYDRODARCO provides these benefits: ***Adsorbs a broad spectrum of impurities • Permits variable dosage*** as requirements change • Reduces pollutants below those levels attainable with biological treatment • ***Aids solids settling,*** decreasing effluent solids and ***thickening sludges • Carbon can*** be reactivated and used again.

HYDRODARCO powdered activated carbons are available in a wide variety of grades, so there is one to fit your particular requirements. Write or call today for complete information on the finest powdered activated carbons available. ICI Americas Inc., Water Purification Sales Manager, Wilmington, DE 19897. (302) 575-3553.

ICI Americas Inc.

***For information circle service card No. 760***

**Problems**
Paul R. Erickson and William E. Throop ..... M/A 24

**American Cyanamid. Carbon Advanced Waste Treatment Plant** ..... J/A 40

**Automatic Clay Feeding in Tissue Mill Treatment Plant** ..... J/F 20

**Boiler Cleaning Waste. Copper Removal from Power Plant**
Nallagounder Kuppusamy ..... M/A 43

**Brewery Wastes**
Don Erwin ..... M/A 26

**Brewery Wastes Amoco Refinery, Texas City, Texas.**
C. G. Grieves et al ..... J/A 30

**Canadian Steel Mill Meets Effluent Guidelines** ..... M/J 26

***Carbon Advanced Waste Treatment Plant Handles 20 MGD*** ..... J/A 40

***Chick Hatchery Wastes Disposal***
Michael Goldman ..... J/F 28

***Closed-Loop System Separates Oil from Prewash Overflow***
*Don Erwin* ..... M/A 26

**Coolant Filtration Costs. New System Cuts** S/O 20

**Cooling Pond Requirements with Surface Heat Exchange**
A. Thomas Pawlina and Bruce Hanes ..... S/O 22

**Copper Removal from Power Plant Boiler Cleaning Waste**
Nallagounder Kuppusamy ..... M/A 43

**Costs. Federal Financing Combats Pollution Control**
Sheldon Sacks ..... N/D 32

**Dairy Waste Activated Sludge Separation Problems. Microbiology of**
Wesley O. Pipes ..... N/D 26

***Determining the Effect of Petroleum Hydrocarbons on Aqueous Environments***
*L. F. Tischler, Richard L. Elton III and Davis L. Ford* N/D 20

**Estimate Cooling Pond Requirements with Surface Heat Exchange**
A. Thomas Pawlina and Bruce Hanes ..... S/O 22

**Explosives Wastewater Treatment**
R. K. Andren et al ..... M/A 28

**Fatty Acid Plant Meets EPA Treatment Standards** ..... N/D 25

**Federal Financing Combats Pollution Control Costs.**
Sheldon Sacks ..... N/D 32

**Hydrocarbons: Study Finds Methods to Reduce from Effluent**
David E. Bruderly, John D. Crane and Jack D. Riggenbach ..... N/D 14

**Hydrogen Peroxide Solves Sulfide Odor Problem**
Kenneth A. Hutchinson ..... J/F 26

**Hypersaline Wastewater. Organic Biodegradation in**
E. M. Davis, J. K. Petros and E. L. Powers ..... J/F 22

**Beat the cost of waste treatment with Carter's Activated Biofilm Method and the Bio-Drum™**

Carter's Activated Biofilm Method with the floating Bio-Drum combines an effective mechanical aerator with an efficient biofilm device. The Bio-Drum is filled with hollow plastic balls overgrown with biofilm. As it rotates it generates maximum contact between return activated sludge, oxygen, and the waste.
Result: economical BOD removal (pilot plant gave average of 10 kg BOD removal/M³ of Bio-Drum/day along with 50% nitrification in 1 hr. detention time).



- **Low installation cost.** Buoyancy of balls provides free flotation of unit. No piers, heavy reinforcing, deep construction required. All supports for the Bio-Drum are lightweight. Large surface contact area allows use of small basins.
- **Low operating cost.** Only energy needed is low HP torque to rotate drum (2½ HP). Dual-speed control matches energy use to process demands.
- **Process advantages.** The Activated Biofilm Method assures stable operation at higher BOD loading than competitive devices. Also provides rapid adjustment to process upsets or control changes. Only 1 hr. detention time required in the reactor basin.

For details, request catalog D761.

**RALPH B. CARTER CO.**
192 Atlantic St., Hackensack, N.J. 07602 • 201-342-3030
Regional Offices: Atlanta, GA. (404-394-6253)
Lake St. Louis, MO. (314-625-8590), Chicago, IL. (312-631-0244), Orillia, Ontario (705-325-4002)

20766

*For information circle service card No. 761*

**Key Information from the TAPPI Environmental Conference.**
H. Gladys Swope ..... S/O 38

**Meeting BPT Standards for Intermediate and Secondary Refinery Wastewater Treatment**
D. L. Ford and L. F. Tischler ..... S/O 41

**Meeting BPT Standards for Refinery Wastewater Treatment**
D. L. Ford and L. F. Tischler ..... J/A 20

**Metal Finishing Wastes. Treating**
P. N. Cheremisinoff, A. J. Perna and J. Ciancia. Part 2 ..... J/F 32

***Metal Forging and Processing Wastewater***
Melvin R. Hockenbury and Andrew W. Loven ..... M/J 45

***Microbiology of Dairy Waste Activated Sludge Separation Problems***
Wesley O. Pipes ..... N/D 26

**Monitoring Plant Effluent for State Records**
Larry Laux ..... M/J 28

**Municipal Sewers Help Solve Rinse Water Disposal Problems**
Jerry K. Fuller ..... S/O 34

**New System Cuts Coolant Filtration Costs** ..... S/O 20

**NEWS (Federal, State, and Municipal)**
John J. Hassett ..... M/A 8, M/J 6, J/A 28, S/O 8, N/D 8

***Odor Problem. Hydrogen Peroxide Solves Sulfide***
Kenneth A. Hutchinson ..... J/F 26

***On-Site Carbon Regeneration System Solves Effluent Problem*** ..... J/A 29

**Organic Biodegradation in Hypersaline Wastewater**
E. M. Davis, J. K. Petros and E. L. Powers ..... J/F 22

**Organic Chemicals Plant Regenerates Activated Carbon** ..... J/A 29

***Ozone Effect on Synthetic Rubber Waste Treatment***
K. Y. Chen and R. W. Okey ..... M/A 46

***Petroleum Hydrocarbons: Determining the Effect on Aqueous Environments***
L. F. Tischler, Richard L. Elton III and Davis L. Ford . N/D 20

**Pittsburgh Plants. Study Examines Waste Disposal at Westinghouse**
Walter G. Vaux ..... J/A 36

**Potato Industry Meets Expanded Requirements** ..... M/J 42

**Power Plant Boiler Cleaning Waste. Copper Removal from**
Nallagounder Kuppusamy ..... M/A 43

**Refinery Sludge Process. Activated Carbon Improves Effluent Quality in**
C. G. Grieves et al ..... J/A 30

**Refinery Wastewater Treatment. Meeting BPT Standards for**
D. L. Ford and L. F. Tischler ..... J/A 20

**Portable Dredge**



**Cleans settling ponds...**

- Ponds remain in service
- Cuts 8 ft. wide, 15 ft. deep
- Floats in 21 inches of water
- Can operate day and night
- Buy or lease (U.S. only), training included
- Mud Cat representatives nationwide

CALL TOLL-FREE
**800/328-7333**

MUD CAT
NATIONAL CAR RENTAL

**MUD CAT**
Division of National Car Rental System, Inc.
P.O. Box 16247
St. Louis Park, Minn. 55416

For information circle service card No. 762

**LIQUID SAMPLERS**



From a simple, inexpensive AC powered Interval Sampler to an efficient, automatic, portable, Composite Sampler. Horizon manufactures a line of Samplers to suit your needs. Whether it's sampling at in-plant locations or out-of-the-way field sites where the instrument must be left unattended.

All Horizon Samplers utilize the proven and dependable Masterflex® tubing pump. Since the sample only comes in contact with the tubing there is no need to worry about contamination or clogged valves where the fluid contains a large concentration of suspended solids. These Samplers feature an excellent suction lift that can elevate water 30 feet, thus allowing acquisition of samples from those hard-to-get-at narrow spaces.

Horizon Samplers handle the job that you want done, without all the unnecessary fancy frills you don't need . . . and that means you save money . . . Let us show you how.

**HORIZON** ECOLOGY CO.
7435 NORTH OAK PARK AVENUE
CHICAGO, ILLINOIS 60648 • (312) 647-7644
*"Where Sampling Becomes a Science"*

For information circle service card No. 763

**Removing Explosives from Wastewater**
R. K. Andren et al ..... M/A 28
**Removing Heavy Metals in Textile Waste**
Harold N. Feigenbaum ..... M/A 32
**Reverse Osmosis and Ultrafiltration of Oily and Pulping Effluents**
Iqbal K. Bansal ..... M/J 32
**Rexnord Roller Chain Plant Wastes**
Paul R. Erickson and William E. Throop ..... M/A 24
***Rubber Waste Treatment. Ozone Effect on Synthetic***
*K. Y. Chen and R. W. Okey* ..... M/A 46

**Sludge Dewatering in Textile Plants**
Charles Cole, Steve Corr and Jenoe Albert ..... J/F 14
**Sludge Dewatering on Alaska's North Slope** ..... J/F 19
**Sodium Bicarbonate Controls Starch Waste pH** ..... S/O 46
**Sodium Bicarbonate Treats Acidic Industrial Wastes**
Kenneth Y. Chen and Nicholas R. Barber ..... M/J 30
**Solving Pollution Control Problems: A Case History**
Frederick W. Brill ..... M/J 38
**Starch Waste pH. Sodium Bicarbonate Controls** ..... S/O 46
**Steel Mill Meets Effluent Guidelines. Canadian** ..... M/J 26
**Study Examines Waste Disposal at Pittsburgh Plants**
Walter G. Vaux ..... J/A 36
**Study Finds Methods to Reduce Hydrocarbons from Effluent**
David E. Bruderly, John D. Crane and Jack D. Riggenbach ..... N/D 14
**TAPPI Environmental Conference. Key Information from**
H. Gladys Swope ..... S/O 38
**Textile Plants. Sludge Dewatering in**
Charles Cole, Steve Corr and Jenoe Albert ..... J/F 14
**Textile Waste. Removing Heavy Metals in**
Harold N. Feigenbaum ..... M/A 32
**Tissue Mill Treatment Plant. Automatic Clay *Feeding in*** ..... J/F 20
**Treating Metal Finishing Wastes**
P. N. Cheremisinoff, A. J. Perna and J. Ciancia
*Part 2* ..... J/F 32
**Treating Metal Forging and Processing Wastewater**
Melvin R. Hockenbury and Andrew W. Loven ..... M/J 45
**Union Wire Rope's Rinse Water Treatment**
Jerry K. Fuller ..... S/O 34
**Vulcan Mold and Iron Co. Monitoring Wastes**
Larry Laux ..... M/J 28
**Westinghouse Waste Disposal at Pittsburgh Plants. Study Examines**
Walter G. Vaux ..... J/A 36
**Zinc Plating Wastes. A Case History**
Frederick W. Brill ..... M/J 38

HAVE YOU EVER TRIED

**ADJUSTABLE JOINTS**
**FOR EASIER PIPE INSTALLATIONS?**



Here are adjustable couplings or union-type joints to simplify the installation of piping systems. 40° adjustment range, for easy, flexible alignment. Sizes from ⅛" to 2½" NPT inlet and outlet connections, in brass, cast iron, steel, and stainless steel. For pressures up to 125 psi. Write for Bulletins 97 and 135.

SPRAYING SYSTEMS CO.
**North Ave. at Schmale Rd., Wheaton, Ill. 60187**
**Telephone: 312 665-5000 / Telex No. 72-8409**

PROMPT SHIPMENT FROM STOCK

**For information circle service card No. 764**

SIRCO
CONTROLS

**ELECTRONIC & PNEUMATIC LIQUID LEVEL (PUMP) AND BULK LEVEL (SILO) CONTROLS**

Have a 15 year reliability record. Easy to install, individual plug-in modules provide versatility from single pump operation to integrated sequencing pumping systems, with computer compatability.

**For information circle service card No. 781**

**POSITIVE ACTUATION SWITCHES PRESSURE - TEMPERATURE - VACUUM FLOAT - DEFLECTION**

With built in surge and overpressure protection, Sirco Switches are ruggedly built and retain their repeatability even under the most severe operating conditions. Unconditionally service guaranteed for 5 years.

**For information circle service card No. 782**

SIRCO

**USA-** 2795-152nd Avenue N.E. Redmond, Wash., 98052. [206] 885-5303. Telex 321302.
**CANADA-** 8815 Selkirk St., Vancouver, B.C. V6P4J7 [604] 261-9321. Telex 04508679.

END